

CoRe+






Ordering Guide

Table of Contents

01 Product Listings3

02 Service Listings6







01 Product Listings

Product	Product Code	Description
	C+V2-EVSE-30-25-LC1-RR1-NSL-FL-NRRV-ST	CoRe+ Charging station, wall mounted, 30 A, 25 feet cable, LCD Display, RFID reader, network ready - FLO - NRRV
	C+V2-EVSE-30-25-LC1-RR1-NSL-FL-NRRV-PS	CoRe+ PS Charging station (Power Sharing - U.S. Pat. No. 9,927,778), wall mounted, controlled from 8 to 30 A, 25 feet cable, LCD Display, RFID reader, network ready - FLO - NRRV
	C+V2-EVSE-30-25-LED-NOR-NSL-FL-NRRV-ST	CoRe+ VB Charging station (basic version), wall mounted, 30 A, 25 feet cable, no networking, no display and no reader - FLO - NRRV
	C+V1-PED-RV-GRRV	CoRe+ pedestal for one or two charging station - GRRV
	CM-F1-GRRV	Cable management system - GRRV

01 Product Listings

Product	Product Code	Description
	CM-E1-GRRV	Cable management column - GRRV
	C+BSS-GRRV	CoRe+ bracket, side by side configuration - GRRV
	CM-S1-FL-BCCE	Cable management system sign - FLO - BCCE
	C+V1-PWCK-40	Pedestal cascading mounting bracket with terminal block for up to #4 gauge CU conductors
	C+V1-PWCK-150	Pedestal cascading mounting bracket with terminal block for up to #2/0 gauge CU or AL conductors
	Breaker-40D	Double 40 A breaker for cascading mounting bracket
	C+V1-ANCHOR	CoRe+ pedestal anchor kit for onsite made concrete base

01 Product Listings

Product	Product Code	Description
	SIGN-RESE-EMP-FR	Employé seulement Parking Sign - French 300 mm x 150 mm • 11.81" x 5.9"
	SIGN-RESE-EMP-EN	Employee Only Parking Sign - English 300 mm x 150 mm • 11.81" x 5.9"
	SIGN-RESE-VIS-FR	Visiteur seulement Parking Sign - French 300 mm x 150 mm • 11.81" x 5.9"
	SIGN-RESE-VIS-EN	Visitor Only Parking Sign - English 300 mm x 150 mm • 11.81" x 5.9"
	SIGN-RESE-GEN-FR	Stationnement interdit excepté véhicule électrique en cours de recharge Parking Sign - French 300 mm x 600 mm • 11.81" x 23.62"
	SIGN-RESE-GEN-EN	No Parking except electric vehicle charging Parking Sign - English 300 mm x 600 mm • 11.81" x 23.62"

02 Service Listings

Service	Service Code	Description
Site survey prior to the charging station installation ¹	SP-SS	<ul style="list-style-type: none"> • Required when the client subscribes to the management service for one or more charging stations for a site for which communication will be done through a 3G cellular network or through a DSL connection • Defines the location of the gateway and the DSL modem (if applicable) to ensure the quality of the communication between components
Local configuration service for all the stations at a site	SP-CONFIG	<ul style="list-style-type: none"> • Required when the client wants to configure a charging station or a network of charging stations
Communication integration service over an existing LAN ³	SP-TLAN	<ul style="list-style-type: none"> • Required when the client subscribes to the management service for one or more charging stations for a site where the communication will be integrated to an existing local area network (LAN) • Determines the position of the gateway to ensure communication with the charging stations • Configures the LAN and puts the communication gateway into operation • The gateway is provided by AddÉnergie
Global management service for one station for 1 year ^{2,3}	SP-SGG-01	<ul style="list-style-type: none"> • Required for all charging stations in a management network • Includes payment management of the charging service, 24/7 customer service, charging station surveillance, charging station access control for private users through an RFID card and mobile application, operator access to web portal, etc • Includes a communication gateway and a 3G subscription for one site, for as long as the client subscribes to the service • Allows to statically limit the charging current of a charging station • Allows to dynamically limit the charging current of a group of charging stations • Allows charging stations to interface with the existing energy management system of the building to avoid exceeding the chargeable power
Extended warranty for one charging station for 1 year ⁴	SP-GE-C+01	<ul style="list-style-type: none"> • Extends the base warranty (of 1 year) of up to 5 years on all hardware components provided by AddÉnergie • Covers parts and labor required to repair defective equipment • The warranty will be applied on a repair basis (the defective charging station is sent back to AddÉnergie, repaired, and then returned to the client) or replacement (with a charging station refurbished similar to the defective one)

¹ There will be additional charges for any travelling required in order to provide the service.

² For more details, please refer to the detailed terms and conditions of the service.

³ In all cases where the client subscribes to the management service, the client must provide for a PVC case as well as required gateway wiring.

Please refer to the Communication Gateway Installation Guide for more details.

⁴ See Warranty Terms and Conditions for more details.

Installation or commissioning questions:
(877) 505-2674 ext. 203

AddÉnergie Technologies Inc.

Head office:
2800 Louis-Lumière, suite 100, Québec (QC) G1P 0A4 CANADA

Ontario office:
7420 Airport Road, Mississauga (ON) L4T 4E5 CANADA

Contact Us

AddÉNERGIE

Tel. : 1 877 505-2674
Fax : 855 505-2674
info@addenergie.ca
addenergie.ca